	Туре	L #	Hits	Search Text	DBs
1	IS&R	L1	64229	(382/100).CCLS. or ("345").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	5787	1 and context\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L3	825	2 and interpretation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L4	811	3 and (display\$4 or monitor\$4 or screen\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L5	102	4 and (imag\$4 near4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L6	4	5 and landmark\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	BRS	L7	263	(landmark\$4 near4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	BRS	L8	225	7 and (display\$4 or monitor\$4 or screen\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	BRS	L9	93	8 and context\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comment	Error Definition	Err
1	2004/12/07 10:39			
2	2004/12/07 10:50			
3	2004/12/07 12:54			
4	2004/12/07 10:49			
5	2004/12/07 12:52			
6	2004/12/07 10:49			
7	2004/12/07 11:20			
8	2004/12/07 11:12			
9	2004/12/07 10:49			

	Туре	L #	Hits	Search Text	DBs
10	BRS	L10	93	9 and (context\$4 or contextual)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	BRS	L11	12	10 and interpretation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	BRS	L12	2	11 and (imag\$4 near4 sensor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	BRS	L13	9	11 and (camera or video or sensor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	BRS	L14	8	13 and (imag\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
15	BRS	L15	8	14 and integrat\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
16	BRS	L16	8	15 and landmark\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
17	BRS .	L17	5	16 and (geographic\$5 near4 information\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
18	BRS	L18	4	17 and engine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comment s	Error Definition	Err
10	2004/12/07 12:55			
11	2004/12/07 10:50			
12	2004/12/07 10:52			
13	2004/12/07 11:00			
14	2004/12/07 11:13			
15	2004/12/07 11:12			
16	2004/12/07 13:54			
17	2004/12/07 11:10		·	
18	2004/12/07 10:58			

	Type	L #	Hits	Search Text	DBs
19	BRS	L19	4	18 and (geographical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
20	BRS	L20	2	19 and (imag\$4 near4 sensor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
21	BRS	L21	4	19 and (camera or video or sensor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
22	BRS	L22	4	19 and (camera\$4 or video\$\$ or sensor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
23	BRS	L23	16	7 and ((context\$4 or contextual) near4 (information\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
24	BRS	L24	11	video or sensor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
25	BRS	L25		24 and (display\$4 or monitor\$4 or screen\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
26	BRS	L26	9	25 and (geographical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
27	BRS	L27	9	26 and landmark\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comment	Error Definition	Err
19	2004/12/07 11:12			
20	2004/12/07 11:19			
21	2004/12/07 11:12			
22	2004/12/07 11:20			
23	2004/12/07 13:07			
24	2004/12/07 11:12			
25	2004/12/07 11:20			
26	2004/12/07 11:22			
27	2004/12/07 11:19			

	Туре	L #	Hits	Search Text	DBs
28	BRS	L28	8	27 and integrat\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
29	BRS	L29	7	28 and (imag\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
30	BRS	L30	2	7 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
31	BRS	L31	2	12 and ((imag\$4) near4 (sensor\$4 or CCD))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
32	BRS	L32	2	12 and ((imag\$4) near4 (sensor\$4 or CCD or camera\$4 or video\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
33	BRS	L33	448	(context adj aware or context-aware or context near4 aware)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
34	BRS	L34	14	33 and (imag\$4 near4 sensor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
35	BRS	L35	2	34 and landmark\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
36	BRS	L36	h I	33 and (landmark\$4 near4 interest\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comment	Error Definition	Err
28	2004/12/07 11:22			
29	2004/12/07 11:26			
30	2004/12/07 11:17			
31	2004/12/07 11:18			
32	2004/12/07 11:18			
33	2004/12/07 12:53			
34	2004/12/07 11:19			
35	2004/12/07 11:21			
36	2004/12/07 11:20			

	Type	L #	Hits	Search Text	DBs
37	BRS	L37	3	36 and (camera\$4 or video\$\$ or sensor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
38	BRS	L38	3	37 and (display\$4 or monitor\$4 or screen\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
39	BRS	L39	11	33 and landmark\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
40	BRS	L40	7	Mideoss or sensors4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
41	BRS	L42	3	41 and (geographical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
42	BRS	L43	5	41 and integrat\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
43	BRS	L41	/	40 and (display\$4 or monitor\$4 or screen\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
44	BRS	L44	7	29 and modul\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
45	BRS	L45	7	44 and database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comment	Error Definition	Err
37	2004/12/07 11:21			
38	2004/12/07 11:21			
39	2004/12/07 11:21			
40	2004/12/07 11:21			
41	2004/12/07 13:36			
42	2004/12/07 13:06			
43	2004/12/07 11:23			
44	2004/12/07 11:27			
45	2004/12/07 11:28			

	Type	L #	Hits	S	earch Text	DBs
46	BRS	L46	6	45 and	locat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
47	BRS	L47	5	46 and	orient\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
48	BRS	L48	2	47 and	segment\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
49	BRS	L49	2	48 and	direction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
50	BRS	L50	2	49 and	zoom\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
51	BRS	L51	2	50 and	extract\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
52	BRS	L52	1	51 and	angl\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
53	BRS	L53	2	51 and	search\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
54	BRS	L54	2	53 and	match\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comment	Error Definition	Err
46	2004/12/07 11:28			
47	2004/12/07 11:29			
48	2004/12/07 11:29			
49	2004/12/07 11:30			
50	2004/12/07 11:30			
51	2004/12/07 11:31			
52	2004/12/07 11:31			
53	2004/12/07 11:32			
54	2004/12/07 11:33			

	Туре	L #	Hits	Search Text	DBs
55	BRS	L55	2	54 and scop\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
56	BRS	L57	470	landmark\$4 and ( display\$4 or monitor\$4 or screen\$4) and (imag\$4 near4 sensor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
57	BRS	L58	2	57 and (context adj aware or context-aware or context near4 aware)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
58	BRS	L59	23	2 and (context\$4 near4 interpretation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
59	BRS	L60	14	59 and integrat\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
60	BRS	L61	14	60 and (context\$4 or contextual)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
61	BRS	L62	2	   14 and (imag\$4 near4   sensor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
62	BRS	L63	470	display\$4 or monitor\$4 or screen\$4) and (imag\$4 near4 sensor\$4)	EPO; JPO; DERWENT; IBM_TDB
63	BRS	L64	6663	landmark\$4 and ( display\$4 or monitor\$4 or screen\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comment	Error Definition	Err
55	2004/12/07 11:33			
56	2004/12/07 13:00			
57	2004/12/07 12:53			
58	2004/12/07 13:00			
59	2004/12/07 12:54			
60	2004/12/07 12:55			
61	2004/12/07 13:01			
62	2004/12/07 12:58			
63	2004/12/07 13:05			

	Туре	L #	Hits	Search Text	DBs
64	BRS	L65	470	64 and (imag\$4 near4 sensor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
65	BRS	L66	10675 6	(imag\$4 near4 sensor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
66	BRS	L67	19	66 and (context\$4 near4 interpretation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
67	BRS	L68	2	67 and landmark\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
68	BRS	L69	2	14 and (imag\$4 same sensor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
69	BRS	L70	1022	l .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
70	BRS	L71	5	70 and (context\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
71	BRS	L72	4489	sensor\$4 or captur\$4 or camera\$4 or	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
72	BRS	L73	5	72 and (context\$4 near4 interpretation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comment	Error Definition	Err
64	2004/12/07 13:01			
65	2004/12/07 13:00			
66	2004/12/07 13:05		·	
67	2004/12/07 13:17			
68	2004/12/07 13:01			
69	2004/12/07 13:04			
70	2004/12/07 13:16			
71	2004/12/07 13:17			
72	2004/12/07 13:05			

	Туре	L #	Hits	Search Text	DBs
73	BRS	L74	30	72 and (context\$4 same interpretation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
74	BRS	L75	30	74 and (display\$4 or monitor\$4 or screen\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
75	BRS	L76	29	75 and integrat\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
76	BRS	L77	11	76 and ((context\$4 or contextual) near4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
77	BRS	L78	153	(devic\$4 or apparatus or system\$4)) and (context\$4 near4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
78	BRS	L79	129	78 and ( display\$4 or monitor\$4 or screen\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
79	BRS	L80		sensor\$4 or captur\$4 or camera\$4 or video\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
80	BRS	L81	4	80 and landmark\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
81	BRS	L82	4	79 and landmark\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comment	Error Definition	Err
73	2004/12/07 13:05			
74	2004/12/07 13:17			
75	2004/12/07 13:31			
76	2004/12/07 13:07			
77	2004/12/07 13:27			
78	2004/12/07 13:29			
79	2004/12/07 13:29			
80	2004/12/07 13:27			
81	2004/12/07 13:18			

	Туре	L #	Hits	Search Text	DBs
82	BRS	L56	2	55 and distanc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
83	BRS	L83	1	55 and (landmark\$4 near3 databas\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
84	BRS	L84	2	55 and (landmark\$4 same databas\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
85	BRS	L85	223	((context\$4 or view\$5) near4 (devic\$4 or apparatus or system\$4)) and (context\$4 near4 interpretation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
86	BRS	L86	4	85 and landmark\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
87	BRS	L87	109	((view\$5) near4 (devic\$4 or apparatus or system\$4)) and (context\$4 near4 interpretation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
88	BRS	L88	1	87 and landmark\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
89	BRS	L89	480	viewer and landmark\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
90	BRS	L90	443	89 and ( display\$4 or monitor\$4 or screen\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comment	Error Definition	Err
82	2004/12/07 13:19			
83	2004/12/07 13:22			
84	2004/12/07 13:22			
85	2004/12/07 13:28			
86	2004/12/07 13:28			
87	2004/12/07 13:50			
88	2004/12/07 13:41			
89	2004/12/07 13:29			
90	2004/12/07 13:52			

	Туре	L #	Hits	Search Text	DBs
91	BRS	L91	392	90 and (CCD or sensor\$4 or captur\$4 or camera\$4 or video\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
92	BRS	L92	15	91 and (view\$5 near4 interpret\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
93	BRS	L93	6	92 and (view\$5 near4 information\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
94	BRS	L94	4	93 and integrat\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
95	BRS	L95	4	94 and sens\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
96	BRS	L96	3	94 and sensor\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
97	BRS	L98	1	97 and (geographical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
98	BRS	L97	3	96 and physical\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
99	BRS	L99	46 1	91 and (view\$5 same interpret\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comment	Error Definition	Err
91	2004/12/07 13:53			
92	2004/12/07 13:39			
93	2004/12/07 13:39			
94	2004/12/07 13:55			
95	2004/12/07 13:35			
96	2004/12/07 13:36			
97	2004/12/07 13:39			
98	2004/12/07 13:37			
99	2004/12/07 13:55			

	Туре	L #	Hits	Search Text	DBs
100	BRS	L100	18	99 and (view\$5 near4 information\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
101	BRS	L101	6	100 and (geographic\$5 same information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
102	BRS	L102	6	101 and landmark\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
103	BRS	L103	11887 84	context\$4 or environment\$4) near4 (devic\$4 or apparatus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
104	BRS	II i I U 4	1	103 and (display\$4 or monitor\$4 or screen\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
105	BRS	ローロンコー	19927 6	sensor\$4 or captur\$4 or camera\$4 or video\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
106	BRS	L106	2510	105 and landmark\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB
107	BRS	L107	1/h	106 and (geographic\$5 near4 information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
108	BRS	L108	251	107 and integrat\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comment	Error Definition	Err
100	2004/12/07 13:39			
101	2004/12/07 13:54	•		
102	2004/12/07 13:41			
103	2004/12/07 13:51			
104	2004/12/07 13:52			
105	2004/12/07 13:53	·		
106	2004/12/07 13:54			
107	2004/12/07 13:54			
108	2004/12/07 13:55			

	Туре	L #	Hits	Search Text	DBs
109	BRS	L109		108 and (view\$5 same	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comment	Error Definition	Err
109	2004/12/07 13:56			



TEEL HOME ! SEARCH	TELL
Membership Publica	tions/Services Standards Conferences Careers/Jobs
	Knlore® Welcome
	United States Patent and Trademark Office
Help FAQ Terms IEE	E Peer Review Quick Links - Se
Welcome to IEEE Xplore*	
O- Home O- What Can I Access?	Your search matched <b>18</b> of <b>1099723</b> documents.  A maximum of <b>500</b> results are displayed, <b>15</b> to a page, sorted by <b>Relevance Descending</b> order.
O- Log-out	Refine This Search:
Tables of Contents	You may refine your search by editing the current search expression or enterinew one in the text box.
O- Journals & Magazines	context* <and> imag* <and> landmark* Search</and></and>
O- Conference Proceedings	Check to search within this result set
O- Standards	Results Key:
Search	JNL = Journal or Magazine CNF = Conference STD = Standard
O- By Author	
O- Basic	1 Model-based method for improving the accuracy and repeatability o
O- Advanced	estimating vascular bifurcations and crossovers from retinal fundus images
CrossRef	Chia-Ling Tsai; Stewart, C.V.; Tanenbaum, H.L.; Roysam, B.;
Member Services	Information Technology in Biomedicine, IEEE Transactions on , Volume: 8 , Is 2 , June 2004
O- Join IEEE	Pages:122 - 130
O- Establish IEEE Web Account	[Abstract] [PDF Full-Text (440 KB)] IEEE JNL
O- Access the IEEE Member Digital Library	2 A review of cardiac image registration methods Makela, T.; Clarysse, P.; Sipila, O.; Pauna, N.; Quoc Cuong Pham; Katila, T.;
Calls and the Car	Magnin, I.E.;
O- Acques thu	Medical Imaging, IEEE Transactions on , Volume: 21 , Issue: 9 , Sept. 2002 Pages:1011 - 1021
Fib (22)	[Abstract] [PDF Full-Text (404 KB)] IEEE JNL
₽rint Format	3 Image processing algorithms for retinal montage synthesis, mappin and real-time location determination  Becker, D.E.; Can, A.; Turner, J.N.; Tanenbaum, H.L.; Roysam, B.;  Biomedical Engineering, IEEE Transactions on , Volume: 45 , Issue: 1 , Jan. 1  Pages:105 - 118
	[Abstract] [PDF Full-Text (308 KB)] IEEE JNL
	4 Graphical shape templates for automatic anatomy datastics with

4 Graphical shape templates for automatic anatomy detection with applications to MRI brain scans

Amit, Y.;

Medical Imaging, IEEE Transactions on , Volume: 16 , Issue: 1 , Feb. 1997

eee

h

Pages: 28 - 40

[Abstract] [PDF Full-Text (3720 KB)] IEEE JNL

# 5 An object tracking and global localization method using omnidirection vision system

Yingjie Sun; Qixin Cao; Weidong Chen;

Intelligent Control and Automation, 2004. WCICA 2004. Fifth World Congress

on , Volume: 6 , 15-19 June 2004

Pages:4730 - 4735 Vol.6

[Abstract] [PDF Full-Text (479 KB)] IEEE CNF

#### 6 Minimum-energy state estimation for systems with perspective outpand state constraints

Aguiar, A.P.; Hespanha, J.P.;

Decision and Control, 2003. Proceedings. 42nd IEEE Conference on , Volume:

5, 9-12 Dec. 2003

Pages:4908 - 4913 Vol.5

[Abstract] [PDF Full-Text (517 KB)] IEEE CNF

#### 7 Landmark-based shape deformation with topology-preserving constraints

Song Wang; Jim Xiuquan Ji; Zhi-Pei Liang;

Computer Vision, 2003. Proceedings. Ninth IEEE International Conference on ,

16 Oct. 2003

Pages:923 - 930 vol.2

[Abstract] [PDF Full-Text (674 KB)] IEEE CNF

### 8 Recognizing abdominal organs in CT images using contextual neural network and fuzzy rules

Chien-Cheng Lee; Pau-Choo Chung;

Engineering in Medicine and Biology Society, 2000. Proceedings of the 22nd A

International Conference of the IEEE , Volume: 3 , 23-28 July 2000

Pages:1745 - 1748 vol.3

[Abstract] [PDF Full-Text (384 KB)] IEEE CNF

#### 9 Matching with shape contexts

Belongie, S.; Malik, J.;

Content-based Access of Image and Video Libraries, 2000. Proceedings. IEEE

Workshop on , 12 June 2000

Pages: 20 - 26

[Abstract] [PDF Full-Text (264 KB)] IEEE CNF

### 10 Landmark methods for forms without landmarks: localizing group differences in outline shape

Bookstein, F.L.;

Mathematical Methods in Biomedical Image Analysis, 1996., Proceedings of th Workshop on , 21-22 June 1996

h eee eee oe che che

e e c e

Pages: 279 - 289

[Abstract] [PDF Full-Text (1028 KB)] IEEE CNF

# 11 A smart sensor based visual landmarks detection for indoor robot navigation

Arana-Arejolaleiba, N.; Lerasle, F.; Briot, M.; Lemaire, C.; Hayet, J.B.; Pattern Recognition, 2002. Proceedings. 16th International Conference on , Volume: 2 , 11-15 Aug. 2002 Pages:848 - 851 vol.2

[Abstract] [PDF Full-Text (369 KB)] IEEE CNF

#### 12 Building multi-level models: from landscapes to landmarks

Murrieta-Cid, R.; Parra, C.; Devy, M.; Tovar, B.; Esteves, C.; Robotics and Automation, 2002. Proceedings. ICRA '02. IEEE International Conference on , Volume: 4 , 11-15 May 2002 Pages:4346 - 4353 vol.4

[Abstract] [PDF Full-Text (1093 KB)] IEEE CNF

# 13 Generalized dynamic programming approaches for object detection detecting spine boundaries and vertebra endplates

Guo-Qing Wei; JianZhong Qian; Schramm, H.; Computer Vision and Pattern Recognition, 2001. CVPR 2001. Proceedings of th 2001 IEEE Computer Society Conference on , Volume: 1 , 8-14 Dec. 2001 Pages:I-954 - I-959 vol.1

[Abstract] [PDF Full-Text (731 KB)] IEEE CNF

#### 14 From images to sentences via spatial relations

Abella, A.; Kender, J.R.;

Integration of Speech and Image Understanding, 1999. Proceedings , 21 Sept 1999

Pages:117 - 146

[Abstract] [PDF Full-Text (452 KB)] IEEE CNF

### 15 Multimodal brain images registration with severe pathological information missing

Cormier, S.; Boujemaa, N.; Tranquart, F.; Pourcelot, L.; [Engineering in Medicine and Biology, 1999. 21st Annual Conf. and the 1999 Annual Fall Meeting of the Biomedical Engineering Soc.] BMES/EMBS Conferer 1999. Proceedings of the First Joint, Volume: 2, 13-16 Oct. 1999 Pages:1154 vol.2

[Abstract] [PDF Full-Text (64 KB)] IEEE CNF

1 2 Next

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account |
New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online
Publications | Help | FAQ | Terms | Back to Top

eee eee gecheche

h

Copyright © 2004 IEEE — All rights reserved

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE

Membership Publications/Services Standards Conferences Careers/Jobs



	Welcome United States Patent and Trademark Office					
Help FAQ Terms IEE	E Peer Review Quick Links Se					
Welcome to IEEE Xplore  - Home - What Can I Access? - Log-out	Your search matched 1 of 1099723 documents.  A maximum of 500 results are displayed, 15 to a page, sorted by Relevance Descending order.  Refine This Search:					
Tables of Contents	You may refine your search by editing the current search expression or enterinew one in the text box.					
O- Journals & Magazines	context* <and> imag* <and> landmark* <and> output* Search</and></and></and>					
Conference Proceedings	Check to search within this result set					
O- Standards	Results Key:  JNL = Journal or Magazine CNF = Conference STD = Standard					
Search	- Standard - Conference - Standard					
O- By Author O- Basic O- Advanced O- CrossRef	1 Minimum-energy state estimation for systems with perspective or and state constraints  Aguiar, A.P.; Hespanha, J.P.;  Decision and Control, 2003. Proceedings. 42nd IEEE Conference on , Volum 5 , 9-12 Dec. 2003					
Member Services	Pages:4908 - 4913 Vol.5					
O- Join IEEE O- Establish IEEE Web Account O- Access the IEEE Member Digital Library	[Abstract] [PDF Full-Text (517 KB)] IEEE CNF					
CSUS arthumites  Aduesa Stru FERE Entografica Filo Sabinor						

🖴 Print Format

eee

e eee o e ch e che

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account |
New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online
Publications | Help | FAQ| Terms | Back to Top

Copyright © 2004 IEEE — All rights reserved